

Australian Journal of Experimental Agriculture

Index to Volume 35

Adams G.
See Boucher W. D. *et al.* 781

Albertsen T. O., Casey R. H., Croker K. P.
Accumulation and dissipation of dieldrin in mature wethers
in the south-west of Western Australia. 331

Ali S. M.
Register of Australian grain legume cultivars
Lens culinaris
cv. Aldinga 557
cv. Northfield 1181

Allen H.
See Penrose L. D. J. *et al.* 419

Amos R.
See Thompson J. P. *et al.* 1049

Anderson W. K.
See Shackley B. J. *et al.* 579

Anderson W. K., Crosbie G. B., Lemsom K.
Production practices for high protein, hard wheat in
Western Australia. 589

Andrews J. A.
See Bernardi A. L. *et al.* 118

Andrews R. N.
See Wuliji T. *et al.* 27

Andrews T. S.
Dispersal of seeds of giant *Sporobolus* spp. after ingestion
by grazing cattle. 353

Appels R.
See Morell M. K. *et al.* 807

Arthur P. F.
See Hearnshaw H. *et al.* 1

Atkins K. D.
See Lee G. J. *et al.* 153

Atkinson W. R.
See Hopkins D. L. *et al.* 33, 161, 693

Auldist M. J., Coats S., Rogers G. L., McDowell G. H.
Changes in the composition of milk from healthy and
masticic dairy cows during the lactation cycle. 427

Baker J. E.
See Hough G. M. *et al.* 7

Ballantyne B. J., Fisher J. A.
Register of Australian winter cereal cultivars
Triticum aestivum cv. Triller 420

Ballinger D. J.
See Salisbury P. A. *et al.* 665

Barbetti M. J.
Resistance in annual *Medicago* species to *Phoma*
medicaginis and *Leptosphaerulina trifolii* under field
conditions. 209

Barbetti M. J., Nichols P. G. H.
Resistance and associated yield losses from rust (*Uromyces*
trifolii-repentis Liro) in midseason cultivars of *Trifolium*
subterraneum L. var. *subterraneum* L. and var. *yanninicum*
Katzen. et Morley. 73

Barchia I.
See Nair N. G. *et al.* 1177

Barclay I. R.
Register of Australian winter cereal cultivars
Triticum aestivum
cv. Amery 409
cv. Stretton 414

Barlow R.
See Hearnshaw H. *et al.* 1

Bartetzko M. N.
See Maier N. A. *et al.* 275
See Cecil J. S. *et al.* 547

Barth G. E.
See Maier N. A. *et al.* 275
See Cecil J. S. *et al.* 547

Bartsch B. D.
See Valentine S. C. *et al.* 325

Bassingthwaite J.
See Hasker P. J. S. *et al.* 15

Beattie A. S.
See Hopkins D. L. *et al.* 453

Beattie G. A. C.
See Watson D. M. *et al.* 795

Bellotti W. D.
See Nichols P. G. H. *et al.* 821

Bencini R.
Use of intramuscular oxytocin injections to measure milk
output in nondairy sheep and its effect on milk
composition. 563

Bernardi A. L., Rose I. A., Andrews J. A.
Registrar of Australian oilseed cultivars
Glycine max
cv. Banjalong 118

Bertozzi T., McKay A. C.
Incidence on *Polypogon monspeliensis*
of *Clavibacter toxicus* and *Anguina* sp., the organisms
associated with 'flood plain staggers' in South
Australia. 567

Bevington K. B.
See Treby M. T. *et al.* 103

Bishop H. G., Cook B. G., Hopkinson J. M., Hilder T. B.
Register of Australian herbage plant cultivars
Aeschynomene americana cv. Lee 122

Boucher W. D., Adams G.
Influence of orchard production system and cultivar
on early productivity of sweet cherry
(*Prunus avium*): effects on tree growth and fruit production
and quality. 781

Bound S. A.
See Oxford M. J. *et al.* 789

Bowdler T. M.
See Cowan R. T. *et al.* 125, 137, 145
See Lowe K. F. *et al.* 571

Bowman A. M., Hebb D. M., Munnich D. J., Rummery G. L.,
Brockwell J.
Field persistence of *Bradyrhizobium* sp. (*Lupinus*) inoculant
for serradella (*Ornithopus compressus* L.). 357

Bowran D. G.
See Wallace A. et al. 725

Braunack M. V., McPhee J. E., Reid D. J.
Controlled traffic to increase productivity of irrigated row
crops in the semi-arid tropics. 503

Bray R. A., Woodroffe T. D.
Register of Australian herbage plant cultivars
Macropitilium atropurpureum cv. Aztec 121

Brennan R. F.
See Seymour M. et al. 381

Bretag T. W.
See Hollaway G. J. et al. 629

Bretag T. W., Keane P. J., Price T. V.
Importance of seed-borne inoculum in the aetiology of the
ascochyta blight complex of field peas (*Pisum sativum* L.)
grown in Victoria. 525

Effect of ascochyta blight on the grain yield of field peas
(*Pisum sativum* L.) grown in southern Australia. 531

Brockwell J.
See Bowman A. M. et al. 357

Brouwer J. B.
Register of Australian grain legume cultivars
Lens culinaris
cv. Cobber 115
cv. Digger 116
cv. Matilda 11

Brown G. N.
See Ellison F. W. et al. 415, 416

Buckerfield J. C.
See Pankhurst C. E. et al. 1015

Burbridge A.
See Fleet M. R. et al. 343

Burgess L. W.
See Nelson K. E. et al. 765

Butler L. G., Corkrey S. R., Knox I. J., Hannan G., Thomson R. P.
Perceptions and knowledge of measurement
in selection programs: a survey of stud Merino breeders
in Australia. 681

Campbell A. S.
See Condron L. M. et al. 387
See Di H. J. et al. 489

Carter R. J.
See Mitchell G. J. et al. 483

Cartwright B.
See Rathjen A. J. et al. 673

Casey R. H.
See Albertsen T. O. et al. 331

Cecil J. S.
See Maier N. A. et al. 275

Cecil J. S., Barth G. E., Maier N. A., Chvyl W. L.,
Bartetzko M. N
Leaf chemical composition and nutrient removal by stems
of *Leucadendron* cvv. Silvan Red and Safari Sunset. 549

Chambers A., Code G., Scammell G.
Annual ryegrass and volunteer cereal control in lupins using
selective post-emergent herbicides. 1141

Chan K. Y.
See Heenan D. P. et al. 877

Charles G. W.
Nutgrass (*Cyperus rotundus* L.) control in cotton
(*Gossypium hirsutum* L.). 633

Chickens C. J.
See Dalal R. C. et al. 903

Chigwidden J. W.
See Rathjen A. J. et al. 675, 673

Chinner S. R.
See Mitchell G. J. et al. 483

Chvyl W. L.
See Maier N. A. et al. 275
See Cecil J. S. et al. 547

Clark K.
See Penrose L. D. J. et al. 419

Clark S. G.
See Nichols P. G. H. et al. 821

Clarke I. J.
See Pomares C. C. et al. 447

Clingeffer P.
See Sommer K. J. et al. 265

Coates D. B.
Effect of phosphorus as fertiliser or supplement on the
forage intake of heifers grazing stylo-based pastures. 181

Coats S.
See Auldist M. J. et al. 427

Cocks P. S.
See Fortune J. A. et al. 189

Code G.
See Chambers A. et al. 1141

Cogle A. L., Littlemore J., Heiner D. H.
Soil organic matter changes and crop responses to fertiliser
under conservation cropping systems in the semi-arid
tropics of North Queensland, Australia. 233

Cole C. V.
See Paustian K. et al. 929

Collins H. P.
See Paustian K. et al. 929

Condron L. M., Di H. J., Goh K. M., Campbell A. S.,
Harrison R.
Agronomic effectiveness of partially acidulated phosphate
rock fertilizers in selected New Zealand soils. 387

Cook B. G.
See Bishop H. G. et al. 122

Coombes N. E.
See Dear B. S. et al. 467
See Sandral G. A. et al. 475

Cooper J. E.
See Dalal R. C. et al. 903

Cooper M.
See Jahufer M. Z. Z. et al. 1109

Corkrey S. R.
See Butler L. G. et al. 681

Costantini A., Nester M. R., Podberscek M.
Site preparation for *Pinus* establishment in south-eastern
Queensland
1. Temporal changes in bulk density. 1151
2. Effect of cultivation and cultivation width on growth. 1159

Coupar F. J.
See Hough G. M. et al. 7

Cowan R. T., Lowe K. F., Ehrlich W. K., Upton P. C.,
Bowdler T. M.
Nitrogen-fertilised grass in a subtropical dairy system
1. Effect of level of nitrogen fertiliser on pasture yield and
soil chemical characteristics. 125
Nitrogen-fertilised grass in a subtropical dairy system
2. Effect of level of nitrogen fertiliser on animal
production. 137

Cowan R. T., Lowe K. F., Upton P. C., Bowdler T. M.
Nitrogen-fertilised grass in a subtropical dairy system
3. Effect of stocking rate on the response to nitrogen
fertiliser. 145

Cowling W. A.
See Tapscott H. L. *et al.* 745

Crawford M. C., Macfarlane M. R.
Lucerne reduces soil moisture and increases livestock
production in an area of high groundwater recharge
potential. 171

Croker K. P.
See Albertsen T. O. *et al.* 331

Crosbie G. B.
See Anderson W. K. *et al.* 589

Curl M. L.
See Fitzgerald R. D. *et al.* 93

Dalal R. C., Strong W. M., Weston E. J., Cooper J. E.,
Lehane K. J., King A. J., Chicken C. J.
Sustaining productivity of a Vertisol at Warra, Queensland,
with fertilisers, no-tillage, or legumes 1. Organic matter
status. 903

Dart P. J.
See Ogle H. J. *et al.* 771

Darvey N. L.
See Ling X. L. *et al.* 395

DeMarco D. G., Li C. B., Randall P. J.
Manganese toxicity in *Trifolium balansae*, *T. resupinatum*,
T. subterraneum, *Medicago murex*, *M. polymorpha*,
M. sativa, *Lotus pedunculatus*, and *Ornithopus compressus*:
relative tolerance and critical toxicity concentrations. 367

Dear B. S.
See Nichols P. G. H. *et al.* 821
See Sandral G. A. *et al.* 475

Dear B. S., Sandral G. A., Coombes N. E.
Differential tolerance of *Trifolium subterraneum* L.
(subterranean clover) cultivars to broadleaf herbicides
1. Herbage yield. 467

Desborough P. J., Rose I. A.
Register of Australian oilseed cultivars
Glycine max cv. *Trochus* 560

Di H. J.
See Condron L. M. *et al.* 387

Di H. J., Harrison R., Campbell A. S.
An isotope injection technique to measure agronomic
effectiveness of different phosphate sources in undisturbed
soils. 489

Dodds K. G.
See Wuliji T. *et al.* 27

Dolling P. J.
Effect of lupins and location on soil acidification rates. 753

Doogan V. J.
See Prove B. G. *et al.* 641

Doube B. M.
See Pankhurst C. E. *et al.* 1015

Doyle P. T., Love R. A., Plaisted T. W.
Mineral supplementation and wool production of young
Merino sheep on the south coast of Western Australia. 437

Doyle P. T., Plaisted T. W., Love R. A.
Supplementary feeding pattern and rate of liveweight gain
in winter-spring affect wool production of young Merino
sheep on the south coast of Western Australia. 1093

Dullahide S. R.
See Stirling G. R. *et al.* 247

Dymock J. J., Forgie S. A.
Large-scale trapping of sheep blowflies in the northern
North Island of New Zealand using insecticide-free traps. 699

Dyson C. B.
See Reuter D. J. *et al.* 979

Ehrlich W. K.
See Cowan R. T. *et al.* 125
See Cowan R. T. *et al.* 137

Elliott D. E.
See Reuter D. J. *et al.* 979

Elliott E. T.
See Paustian K. *et al.* 929

Elliott R.
See Peiris H. *et al.* 317

Ellison F. W., Brown G. N., Mares D. J., Moore S. G., O'Brien L.
Register of Australian winter cereal cultivars
Triticum aestivum
cv. Sunland 415
cv. Sunvale 416

Emmett R.
See Nair N. G. *et al.* 1177

Evans P. M.
See Wallace A. *et al.* 725

Evans P. M., Hall E. J.
Seed softening patterns from single seed crops of
subterranean clover (*Trifolium subterraneum* L.) in a cool
temperate environment. 1117

Farsi M., Vanstone V. A., Fisher J. M., Rathjen A. J.
Genetic variation in resistance to *Pratylenchus neglectus* in
wheat and triticales. 597

Felton W. L., Marcellos H., Martin R. J.
A comparison of three fallow management strategies for the
long-term productivity of wheat in northern New South
Wales. 915

Fettell N. A., Gill H. S.
Long-term effects of tillage, stubble, and nitrogen
management on properties of a red-brown earth. 923

Fisher J. M.
See Farsi M. *et al.* 597

Fisher J. A.
See Ballantyne B. J. *et al.* 420

FitzGerald R. D., Curl M. L., Heap E. W.
Wheat for fodder and grain on the Northern Tablelands of
New South Wales. 93

Fleet M. R., Foulds R. A., Pourbeik T., McInnes C. B.,
Smith D. H., Burbidge A.
Pigmentation relationships among young Merino sheep and
their processed wool. 343

Flett S. P.
See Purwantara A. *et al.* 717

Flood R. G., Martin P. J., Gardner W. K.
Dry matter accumulation and partitioning and its relationship to grain yield in wheat. 495

Foerster J., Milne-Home W. A.
Application of AGNPS to model nutrient generation rates under different farming management practices at the Gunnedah Research Centre catchment. 961

Fogarty N. M.
See Hall D. G. *et al.* 1069

Fogarty N. M., Hall D. G.
Performance of crossbred progeny of Trangie Fertility Merino and Booroola Merino rams and Poll Dorset ewes 3. Reproduction, liveweight and wool production of adult ewes. 1083

Fogarty N. M., Hall D. G., Gilmour A. R.
Performance of crossbred progeny of Trangie Fertility Merino and Booroola Merino rams and Poll Dorset ewes 2. Reproductive activity, liveweight and wool production of ewe lambs. 1075

Fordyce G.
See O'Rourke P. K. *et al.* 285, 307

Forgie S. A.
See Dymock J. J. *et al.* 699

Fortune J. A., Cocks P. S., Macfarlane C. K., Smith F. P.
Distribution and abundance of annual legume seeds in the wheatbelt of Western Australia. 189

Foulds R. A.
See Fleet M. R. *et al.* 343

Gale M. J.
See Walsh K. B. *et al.* 1131

Galloway D. B.
See Pomares C. C. *et al.* 447

Gamble D. J.
See Hopkins D. L. *et al.* 33, 161

Gardener C. J.
See McIvor J. G. *et al.* 55, 705

Gardner W. K.
See Flood R. G. *et al.* 495

Gibson G.
See Thomas G. A. *et al.* 997

Gill G. S.
Development of herbicide resistance in annual ryegrass populations (*Lolium rigidum* Gaud.) in the cropping belt of Western Australia. 67

Gill H. S.
See Fettell N. A. *et al.* 923

Gilmour A. R.
See Fogarty N. M. *et al.* 1075
See Hall D. G. *et al.* 1069

Goh K. M.
See Condron L. M. *et al.* 387

Grace P. R., Oades J. M., Keith H., Hancock T. W.
Trends in wheat yields and soil organic carbon in the Permanent Rotation Trial at the Waite Agricultural Research Institute, South Australia. 857

Green A. G.
Register of Australian oilseed cultivars
Linum usitatissimum
cvv. Eyre, Wallaga 119-120

Grierson I. T.
See Penfold C. M. *et al.* 849

Guilbaud-Oulton S.
See Nair N. G. *et al.* 1177

Gupta V. V. S.
See Pankhurst C. E. *et al.* 1015

Gutteridge R. C., Shelton H. M.
Register of Australian herbage plant cultivars
Sesbania sesban
cv. Mount Cotton 561

Hales J. W.
See Peiris H. *et al.* 317

Hall B.
See Wicks T. J. *et al.* 661

Hall D. G.
See Hopkins D. L. *et al.* 33, 461, 693
See Fogarty N. M. *et al.* 1075, 1083

Hall D. G., Fogarty N. M., Gilmour A. R.
Performance of crossbred progeny of Trangie Fertility Merino and Booroola Merino rams and Poll Dorset ewes 1. Lamb birth weight, survival and growth. 1069

Hall E. J.
See Evans P. M. *et al.* 1117

Hammer G. L.
See Meinke H. *et al.* 777

Hancock T. W.
See Grace P. *et al.* 857

Hannah M., O'Leary G. J.
Wheat yield response to rainfall in a long-term multi-rotation experiment in the Victorian Wimmera. 951

Hannan G.
See Butler L. G. *et al.* 681

Harris D. J.
See Petterson D. S. *et al.* 403

Harrison R.
See Condron L. M. 387
See Di H. J. *et al.* 489

Hasker P. J. S., Bassingthwaite J.
Implanting electronic identification transponders under the scutiform cartilage of beef cattle is inappropriate under Australian conditions. 15

Havilah E. J., Kaiser A. G., Nicol H. I.
Use of a kernel milkline score to determine the stage of maturity in maize crops harvested for silage. 739

Hawke B. G.
See Pankhurst C. E. *et al.* 603, 1015

Heap E. W.
See FitzGerald R. D. *et al.* 93

Hearnshaw H., Arthur P. F., Barlow R., Hoffman W.
Preweaning growth of Brahman, Braford and Africander first-cross calves in the subtropics of New South Wales. 1

Hebb D. M.
See Bowman A. M. *et al.* 357

Heenan D. P., McGhie W. J., Thomson F. M., Chan K. Y.
Decline in soil organic carbon and total nitrogen in relation to tillage, stubble management, and rotation. 877

Heiner D. H.
See Cogle A. L. *et al.* 233

Hilder T. B.
See Bishop H. G. *et al.* 122

Hoang C. C., Hosking B. J., Holmes J. H. G.
Steam-flaked lupins for preruminant calf rations. 1063

Hocking P. J.
Critical nitrate-nitrogen and totalnitrogen concentrations for vegetative growth and seed yield in Linola (edible-oil linseed) as affected by plant age. 239

Hoffman W.
See Hearnshaw H. *et al.* 1

Holford I. C. R.
See Norton M. R. *et al.* 893

Holland J. F., Mullen C. L.
Register of Australian grain legume cultivars
Lablab purpureus
cv. Koala 559

Holloway G. J., Bretag T. W.
Occurrence and distribution of races of *Pseudomonas syringae* pv. *pisi* in Australia and their specificity towards various field pea (*Pisum sativum*) cultivars. 629

Holmes J. H. G.
See Pomares C. C. *et al.* 447

See Hoang C. C. *et al.* 1063

Holroyd R. G.
See O'Rourke P. K. *et al.* 285, 307

Holst P. J.
See Hopkins D. L. *et al.* 461, 693

Hopkins D. L., Beattie A. S., Pirlot K. L.
Meat quality, carcass fatness, and growth of short scrotum lambs grazing either forage rape or irrigated perennial pasture. 453

Hopkins D. L., Holst P. J., Hall D. G.
Effect of grain or silage supplementation on meat quality attributes of cryptorchid lambs grazing lucerne or annual grass-clover pastures. 461

Hopkins D. L., Holst P. J., Hall D. G., Atkinson W. R.
Carcass and meat quality of second-cross cryptorchid lambs grazed on chicory (*Cichorium intybus*) or lucerne (*Medicago sativa*). 693

Hopkins D. L., Wotton J. S. A., Gamble D. J., Atkinson W. R.
Lamb carcass characteristics 2. Estimation of the percentage of saleable cuts for carcasses prepared as 'trim' and traditional cuts using carcass weight, fat depth, eye muscle area, sex, and conformation score. 161

Hopkins D. L., Wotton J. S. A., Gamble D. J., Atkinson W. R., Slack-Smith T. S., Hall D. G.
Lamb carcass characteristics 1. The influence of carcass weight, fatness and sex on the weight of trim and traditional retail cuts. 33

Hopkinson J. M.
See Bishop H. G. *et al.* 122

Hosking B.
See Hoang C. C. *et al.* 1063

Hough G. M., Sawyer G. J., Coupar F. J., Baker J. E., Morris R. J.
Nitrogen-containing fertilisers restrict grain intake by cattle. 7

Howlett B.
See Salisbury P. A. *et al.* 665

Hoy N. T.
See Walsh K. B. *et al.* 1131

Hutchinson K., King K. L., Wilkinson D. R.
Effects of rainfall, moisture stress, and stocking rate on the persistence of white clover over a 30 years. 1039

Imrie B. C.
Register of Australian grain legume cultivars
Vigna unguiculata cvv. Big Buff, Holstein, Emerald 677-9

Jackson J. F.
See Vezvaei A. *et al.* 109

Jacobs J. L., Morris R. J., Zorrilla-Rios J.
Effect of ensiling whole barley grain with pasture on silage quality, effluent production and the performance of growing cattle. 731

Jahufer M. Z. Z., Cooper M., Lane L. A.
Variation among low rainfall white clover (*Trifolium repens* L.) accessions for morphological attributes and herbage yield. 1109

Jefferies S. P.
See Rathjen A. J. *et al.* 675, 673

Jobling J., McGlasson W. B.
Chilling at 0°C in air induces ethylene production in Fuji and Lady Williams apples. 651

Johnson D. E.
See Rowe B. A. *et al.* 611

Jones K. M.
See Oakford M. J. *et al.* 789

Jones P. N.
See Joyce D. C. *et al.* 657

Jones R. J.
See Jones R. M. *et al.* 1029

Jones R. J., Loch D. S., LeFeuvre R. P.
Differences in mineral concentration among diploid and tetraploid cultivars of Rhodes grass (*Chloris gayana*). 1123

Jones R. M., Jones R. J., McDonald C. K.
Some advantages of long-term grazing trials, with particular reference to changes in botanical composition. 1029

Joyce D. C., Shorter A. J., Jones P. N.
Effect of delayed film wrapping and waxing on the shelf life of avocado fruit. 657

Judson G. J., Wootton T. R., McFarlane J. D., Mitsioulis A.
Evaluation of cobalt pellets for sheep. 41

Kaiser A. G.
See Havilah E. J. *et al.* 739

Keane P. J.
See Bretag T. W. *et al.* 525, 531

Keating B. A.
See Probert M. E. *et al.* 941

Keith H.
See Grace P. *et al.* 857

Key A. J.
See Radford B. J. *et al.* 223

King A. J.
See Dalal R. C. *et al.* 903

King K. L.
See Hutchinson K. *et al.* 1039

Kirkby C. A.
See Pankhurst C. E. *et al.* 1015

Kirkegaard J. A.
A review of trends in wheat yield responses to conservation cropping in Australia. 835

Knox I. J.
See Butler L. G. *et al.* 681

deKoning C. T.
See Nichols P. G. H. *et al.* 821

Lane L. A.
See Jahufer M. Z. Z. *et al.* 1109

LeFeuvre R. P.
See Jones R. J. *et al.* 1123

Lee G. J., Atkins K. D.
Consequences of reproduction on the liveweight, fat depth, wool growth, and intake of grazing merino ewes in the short and long term. 153

Lehane K. J.
See Dalal R. C. *et al.* 903

Lemsom K.
See Anderson W. K. *et al.* 589

Lewis D. C.
See Reuter D. J. *et al.* 979

Lewis J.
See Rathjen A. J. *et al.* 675, 673

Li C. B.
See DeMarco D. G. *et al.* 367

Ling X. L., Luckett D. J., Darvey N. L.
A cost-based index of anther culture response in diverse wheat breeding germplasm. 395

Lisle A. T.
See O'Rourke P. K. *et al.* 285

Littlemore J.
See Cogle A. L. *et al.* 233

Lloyd D. L.
See Nichols P. G. H. *et al.* 821

Lloyd H. L.
See Morell M. K. *et al.* 807

Loch D. S.
See Jones R. J. *et al.* 1123

Lodge G. M.
Seed and seedling studies of three *Trifolium subterraneum* var. *brachycalycinum* lines, in a predominantly summer rainfall environment. 1101

Love R. A.
See Doyle P. T. *et al.* 437, 1093

Lowe K. F.
See Cowan R. T. *et al.* 125, 137, 145

Lowe K. F., Bowdler T. M.
Growth, persistence, and rust sensitivity of irrigated, perennial temperate grasses in the Queensland subtropics 571

Loxton I. D.
See O'Rourke P. K. *et al.* 285

Luckett D. J.
See Ling X. L. *et al.* 395

Macfarlane C. K.
See Fortune J. A. *et al.* 189

Macfarlane M. R.
See Crawford M. C. *et al.* 171

Mackenzie J.
See Thompson J. P. *et al.* 1049

Maier N. A.
See Cecil J. S. *et al.* 547

Maier N. A., Barth G. E., Cecil J. S., Chvyl W. L., Bartetzko M. N.
Effect of sampling time and leaf position on leaf nutrient composition of *Protea 'Pink Ice'*. 275

Malinda D. K.
Factors in conservation farming that reduce erosion. 969

Marcellos H.
See Felton W. L. *et al.* 915

Marcellos H., Moore K. J., Nikandrow A.
Influence of foliar-applied fungicides on seed yield of faba bean (*Vicia faba* L.) in northern New South Wales. 97

Mares D. J.
See Ellison F. W. *et al.* 415, 416

Martin P. J.
See Flood R. G. *et al.* 495

Martin R. H.
See Penrose L. D. J. *et al.* 419

Martin R. H., Penrose L. D. J.
Register of Australian winter cereal cultivars
Triticum aestivum cv. Darter 413

Martin R. H., Penrose L. D. J., Thé D., Oliver J.
Register of Australian winter cereal cultivars
Triticum aestivum cv. Currawong 412

Martin R. H., Thé D.
Register of Australian cereal cultivars
Triticum aestivum cv. Warbler 422

Martin R. J.
See Felton W. L. *et al.* 915

Martin W. D.
See Thomas G. A. *et al.* 997

Mathews G. L.
See McGowan A. A. *et al.* 51

McDonald C. K.
See Jones R. M. *et al.* 1029

McDonald G. K.
Grain yield trends of field pea (*Pisum sativum* L.) in South Australia. 515
Growth of field pea on red-brown earth soils in a year with high rainfall. 619

McDonald H. J.
See Pankhurst C. E. *et al.* 603, 1015

McDowell G. H.
See Auldist M. J. *et al.* 427

McFarlane J. D.
See Judson G. J. *et al.* 41

McGhie W. J.
See Heenan D. P. *et al.* 877

McGlasson W. B.
See Jobling J. *et al.* 651

McGowan A. A., Mathews G. L., Moate P.
Mineral balance of sheep fed pasture, tagasaste or tagasaste with a mineral supplement. 51

McInnes C. B.
See Fleet M. R. *et al.* 343

McIvor J. G., Gardener C. J.
Pasture management in semi-arid tropical woodlands: effects on herbage yields and botanical composition. 705

McIvor J. G., Williams J., Gardener C. J.
Pasture management influences runoff and soil movement in the semi-arid tropics. 55

McKay A. C.
See Bertozi T. et al. 567

McLean R.
Register of Australian winter cereal cultivars
Avena sativa cv. Pallinup 426

McPhee J. E.
See Braunack M. V. et al. 503

McRae F.
See Penrose L. D. J. et al. 419

Meinke H., Hammer G. L.
Climatic risk to peanut production: a simulation study for Northern Australia. 777

Michelsen P.
See Pankhurst C. E. et al. 1015

Milne-Home W. A.
See Foerster J. et al. 961

Mitchell G. J., Carter R. J., Chinner S. R.
Studies on the control of water-dropwort (*Oenanthe pimpinelloides*) in South Australia. 483

Mitsioulis A.
See Judson G. J. et al. 41

Miyan M. S.
See Penfold C. M. et al. 849

Moate P.
See McGowan A. A. et al. 51

Moody D. B.
See Rathjen A. J. et al. 673

Moore K. J.
See Marcellos H. et al. 97

Moore S. G.
See Ellison F. W. et al. 415, 416

Morell M. K., Peakall R., Appels R., Preston L. R., Lloyd H. L.
DNA profiling techniques for plant variety identification. 807

Morgan B.
See Wicks T. J. et al. 661

Morris R. J.
See Hough G. M. et al. 7
See Jacobs J. L. et al. 731

Mulholland J. G., Preston G. K.
A comparison of buckwheat, oats, and wheat for the maintenance of liveweight and wool production in sheep. 339

Mullen C. L.
See Holland J. F. et al. 559

Munnich D. J.
See Bowman A. M. et al. 357

Murison R. D.
See Norton M. R. et al. 893

Nair N. G., Guilbaud-Oulton S., Barchia I., Emmett R.
Significance of carry over inoculum, flower infection and latency on the incidence of *Botrytis cinerea* in berries of grapevines at harvest in New South Wales. 1177

Neale J. A.
See O'Rourke P. K. et al. 297

Nelson K. E., Burgess L. W.
Effect of rotation with barley and oats on crown rot of wheat in the northern wheat belt of New South Wales. Australia. 765

Nester M. R.
See Costantini A. et al. 1151, 1159

Nicholas D. A.
See Nichols P. G. H. et al. 821

Nichols P. G. H.
See Barbetti M. J. et al. 73

Nichols P. G. H., Nicholas D. A., Dear B. S., Clark S. G., Reed K. F. M., deKoning C. T., Bellotti W. D., Lloyd D. L.
Register of Australian herbage plant cultivars
B. Legumes 1. Clover
Trifolium subterraneum cv. York 821

Nicol H. I.
See Havilah E. J. et al. 739

Nielsen R. G. H.
See Thomas G. A. et al. 997

Nikandrow A.
See Marcellos H. et al. 97

Nikulin A.
See Stirling G. R. et al. 247

Norman C. P.
Effect of groundwater pump management on reclaiming salinised land in the Goulburn Valley, Victoria. 215

Norton B. W.
See Peiris H. et al. 317

Norton M. R., Murison R. D., Holford I. C. R., Robinson G. G.
Rotation effects on sustainability of crop production: the Glen Innes rotation experiment. 893

O'Brien K. A.
See Pankhurst C. E. et al. 1015

O'Brien L.
See Ellison F. W. et al. 415, 416

O'Brien R. G., Weinert M. P.
Three metalaxyl sensitivity levels in Australian isolates of *Pseudoperonospora cubensis* (Berk. et Curt.) Rost. 543

O'Hare T. J.
Effect of ripening temperature on quality and compositional changes of mango (*Mangifera indica* L.) cv. Kensington. 259

O'Leary G. J.
See Hannah M. et al. 951

O'Reilly L.
See Oxford M. J. et al. 789

O'Rourke P. K., Fordyce G., Holroyd R. G., Loxton I. D.
Mortality, wastage, and lifetime productivity of *Bos indicus* cows under extensive grazing in north Australia
1. Seasonal mating in the speargrass region. 285

O'Rourke P. K., Fordyce G., Holroyd R. G., Sullivan R. M.
Mortality, wastage, and lifetime productivity of *Bos indicus* cows under extensive grazing in north Australia
3. Comparison of culling strategies. 307

O'Rourke P. K., Sullivan R. M., Neale J. A.
Mortality, wastage, and lifetime productivity of *Bos indicus* cows under extensive grazing in north Australia
2. Continuous mating in the semi-arid tropics. 297

Oades J. M.
See Grace P. et al. 857

Oakford M. J., Bound S. A., Jones K. M., O'Reilly L.
Use of airshear technology to reduce chemical spray rates for thinning of apples. 789

Ogle H. J., Stirling A. M., Dart P. J.
Some factors affecting the development and biocontrol of cotton seedling disease. 771

Oliver J.
See Martin R. H. *et al.* 412

Oram R. N.
See Read B. J. *et al.* 425

Osborne L. D.
See Robson A. D. *et al.* 79

Palmer G. A.
See Rathjen A. J. *et al.* 675

See Rathjen A. J. *et al.* 673

Pankhurst C. E., Hawke B. G., McDonald H. J., Kirkby C. A., Buckerfield J. C., Michelsen P., O'Brien K. A., Gupta V. V. S., Doube B. M.
Evaluation of soil biological properties as potential bioindicators of soil health. 1015

Pankhurst C. E., McDonald B. G., Hawke B. G.
The influence of soil-water matric potential on the control of *Pythium* root infection of wheat with metalaxyl in two contrasting soils of South Australia. 603

Parton W. J.
See Probert M. E. *et al.* 941

Paul E. A.
See Paustian K. *et al.* 929

Paustian K., Elliott E. T., Collins H. P., Cole C. V., Paul E. A.
Use of a network of long-term experiments for analysis of soil carbon dynamics and global change: the North American model. 929

Peakall R.
See Morell M. K. *et al.* 807

Peiris H., Elliott R., Hales J. W., Norton B. W.
Alternative management strategies for maximizing productivity in beef cattle in the subtropics. 317

Penfold C. M., Miyan M. S., Reeves T. G., Grierson I. T.
Biological farming for sustainable agricultural production. 849

Penrose L. D. J.
See Martin R. H. *et al.* 413, 412

Penrose L. D. J., Martin R. H., Thé D., Powell C., McRae F., Clark K., Allen H.
Register of Australian winter cereal cultivars
Triticum aestivum
cv. Tern 419

Petterson D. S., Harris D. J.
The cadmium and lead content of lupin seed grown in Western Australia. 403

Pinkerton A., Randall P. J.
Sulfur requirements during early growth of *Trifolium balansae*, *Trifolium subterraneum*, *Medicago murex* and *Phalaris aquatica*. 199

Pirlot K. L.
See Hopkins D. L. *et al.* 453

Plaisted T. W.
See Doyle P. T. *et al.* 437, 1093

Plummer K. M.
See Salisbury P. A. *et al.* 665

Podberscek M.
See Costantini A. *et al.* 1151, 1159

Pomares C. C., Galloway D. B., Holmes J. H. G., Clarke I. J., Tilbrook A. J.
Lupin and cowpea supplements for growth, wool production, and reproduction in rams. 447

Poulton P.
The importance of long-term trials in understanding sustainable farming systems: the Rothamsted experience. 825

Pourbeik T.
See Fleet M. R. *et al.* 343

Powell C.
See Penrose L. D. J. *et al.* 419

Pratley J. E.
Long term investigations of the effect of tillage practices on crop production at Wagga Wagga, New South Wales. 885

Preston G. K.
See Mulholland J. G. *et al.* 339

Preston L. R.
See Morell M. K. *et al.* 807

Price T. V.
See Bretag T. W. *et al.* 525, 531

Probert M. E., Keating B. A., Thompson J. P., Parton W. J.
Modelling water, nitrogen and crop yield for the long-term fallow management experiment. 941

Prove B. G., Doogan V. J., Truong P. N. V.
The nature and magnitude of soil erosion in sugar cane land on the wet tropical coast of north-east Queensland. 641

Purwantara A., Flett S. P., Keane P. J.
Variation in pathogenicity and virulence of *Phytophthora clandestina* on four cultivars of subterranean clover. 717

Radford B. J.
See Thomas G. A. *et al.* 997

Radford B. J., Key A. J., Robertson L. N., Thomas G. A.
Conservation tillage increases soil water storage, soil animal populations, grain yield and response to fertiliser in the semi-arid subtropics. 223

Randall P. J.
See Pinkerton A. *et al.* 199
See DeMarco D. G. *et al.* 367

Rathjen A. J.
See Farsi M. *et al.* 597

Rathjen A. J., Lewis J., Thé D., Palmer G. A., Jefferies S. P., Chigwidden J. W., Stone C. J., Wallwork H.
Register of Australian winter cereal cultivars
Triticum aestivum cv. Yarralinka 675

Rathjen A. J., Moody D. B., Cartwright B., Lewis J., Thé D., Palmer G. A., Jefferies S. P., Chigwidden J. W., Stone C. J.
Register of Australian winter cereal cultivars
Triticum aestivum cv. BT-Schomburgk 673

Read B. J., Oram R. N.
Hordeum vulgare cv. Brindabella 425

Reed K. F. M.
See Nichols P. G. H. *et al.* 821

Reeves T. G.
See Penfold C. M. *et al.* 849

Reid D. J.
See Braunack M. V. *et al.* 503

Reuter D. J., Dyson C. B., Elliott D. E., Lewis D. C.,
Rudd C. L.
An appraisal of soil phosphorus testing data for crops and
pastures in South Australia. 979

Robertson L. N.
See Radford B. J. *et al.* 223

Robinson G. G.
See Norton M. R. *et al.* 893

Robson A. D., Osborne L. D., Snowball K., Simmons W. J.
Assessing sulfur status in lupins and wheat. 79

Robson A. D.
See Tang C. *et al.* 87

Rogers G. L.
See Auldist M. J. *et al.* 427

Roget D. K.
Decline in root rot (*Rhizoctonia solani* AG-8) in wheat
in a tillage and rotation experiment at Avon, South
Australia. 1009

Rose I. A.
See Bernardi A. L. *et al.* 118
See Desborough P. J. *et al.* 560
Register of Australian oilseed cultivars
Glycine max cv. Valiant 823

Rowe B. A., Johnson D. E.
Residual benefits of limestone and superphosphate on
barley yields and soil-water deficits on a krasnozem in
north-western Tasmania. 611

Rudd C. L.
See Reuter D. J. *et al.* 979

Rummery G. L.
See Bowman A. M. *et al.* 357

Salisbury P. A., Ballinger D. J., Wratten N., Plummer K. M.,
Howlett B.
Blackleg disease on oilseed *Brassica* in Australia: a review.
665

Sandral G. A.
See Dear B. S. *et al.* 467

Sandral G. A., Dear B. S., Coombes N. E.
Differential tolerance of *Trifolium subterraneum* L.
(subterranean clover) cultivars to broadleaf herbicides
2. Seed yield and quality. 475

Sarlistyaningsih L., Sivasithamparam K., Setter T. L.
Influence of waterlogging on germination and survival of
lupin seeds (*Lupinus angustifolius* L. cv. Gungurru) coated
with calcium peroxide and streptomycin. 537

Sawyer G. J.
See Hough G. M. *et al.* 7

Scammell G.
See Chambers A. *et al.* 1141

Schultz J. E.
Crop production in a rotation trial at Tarlee, South
Australia. 865

Setter T. L.
See Sarlistyaningsih L. *et al.* 537

Seymour M., Brennan R. F.
Nutrient sprays applied to the foliage of narrow-leaved
lupins (*Lupinus angustifolius*) during flowering and
podding do not increase seed yield. 381

Shackley B. J., Anderson W. K.
Responses of wheat cultivars to time of sowing in the
southern wheatbelt of Western Australia. 579

Shelton H. M.
See Gutteridge R. C. *et al.* 561

Shorter A. J.
See Joyce D. C. *et al.* 657

Shulman Y.
See Sommer K. J. *et al.* 265

Simmons W. J.
See Robson A. D. *et al.* 79

Sivasithamparam K.
See Sarlistyaningsih L. *et al.* 537

Slack-Smith T. S.
See Hopkins D. L. *et al.* 33

Smith D.
Banana weevil borer control in south-eastern
Queensland. 1165

Smith D. H.
See Fleet M. R. *et al.* 343

Smith F. P.
See Fortune J. A. *et al.* 189

Snowball K.
See Robson A. D. *et al.* 79

Sommer K. J., Clingeffer P., Shulman Y.
Comparative study of vine morphology, growth
and canopy development in cane-pruned and minimal
pruned Sultana. 265

Stirling A. M.
See Ogle H. J. *et al.* 771

Stirling G. R., Dullahide S. R., Nikulin A.
Management of lesion nematode (*Pratylenchus*
jordanensis) on replanted apple trees. 247

Stockdale C. R.
Maize silage as a supplement for pasture-fed dairy cows
in early and late lactation. 19

Stone C. J.
See Rathjen A. J. *et al.* 675, 673

Storey R.
See Treeby M. T. *et al.* 103

Strong W. M.
See Dalal R. C. *et al.* 903

Sullivan R. M.
See O'Rourke P. K. *et al.* 297, 307

Tang C., Robson A. D.
Nodulation failure is important in the poor growth of two
lupin species on an alkaline soil. 87

Tapscott H. L., Cowling W. A.
Predictors of yield of *Lupinus angustifolius*
(cv. Gungurru) seedlots from different sources
in Western Australia. 745

Tarawali S. A.
Evaluation of *Stylosanthes hamata* (L.) Taub. accessions
for livestock and crop enterprises in subhumid
Nigeria. 375

Thé D.
See Martin R. H. *et al.* 412, 422
See Penrose L. D. J. *et al.* 419
See Rathjen A. J. *et al.* 675, 673

Thomas G. A.
See Radford B. J. *et al.* 223

Thomas G. A., Gibson G., Nielsen R. G. H., Martin W. D., Radford B. J.
Effects of tillage, stubble, gypsum, and nitrogen fertiliser on cereal cropping on a red-brown earth in south-west Queensland. 997

Thompson J. P.
See Probert M. E. *et al.* 941

Thompson J. P., Mackenzie J., Amos R.
Root-lesion nematode (*Pratylenchus thornei*) limits response of wheat but not barley to stored soil moisture in the Hermitage long-term tillage experiment. 1049

Thomson F. M.
See Heenan D. P. *et al.* 877

Thomson R. P.
See Butler L. G. *et al.* 681

Tilbrook A. J.
See Pomares C. C. *et al.* 447

Treeby M. T., Storey R., Bevington K. B.
Rootstock, seasonal and fruit size influences on the incidence and severity of albedo breakdown in Bellamy navel oranges. 103

Truong P. N. V.
See Prove B. G. *et al.* 641

Turner P.
See Wuliji T. *et al.* 27

Upton P. C.
See Cowan R. T. *et al.* 125, 137, 145

Valentine S. C., Bartsch B. D.
The effect of protein supplements on the production and composition of milk by dairy cows fed high levels of grain with pasture silage in early lactation. 325

Vanstone V. A.
See Farsi M. *et al.* 597

Vezvaei A., Jackson J. F.
Effect of pollen parent and stage of flower development on almond nut production. 109

Wallace A., Evans P. M., Bowran D. G.
Effective barleygrass (*Hordeum* spp.) control in annual medics with 2,2-DPA herbicide. 725

Wallwork H.
See Rathjen A. J. *et al.* 675

Walsh K. B., Gale M. J., Hoy N. T.
Revegetation of a scalped saline discharge zone in Central Queensland

2. Water use by vegetation and watertable drawdown. 1131

Watson D. M., Beattie G. A. C.
Effect of weather station logging interval on the precision of degree-day estimates. 795

Weatherall I. L.
See Wuliji T. *et al.* 27

Weinert M. P.
See O'Brien R. G. *et al.* 543

Weston E. J.
See Dalal R. C. *et al.* 903

Wheeler R.
See Wuliji T. *et al.* 27

Wicks T. J., Morgan B., Hall B.
Chemical and biological control of *Rhizoctonia solani* on potato seed tubers. 661

Widjanarko S. B.
See Wills R. B. H. *et al.* 1173

Wilkinson D. R.
See Hutchinson K. *et al.* 1039

Williams J.
See McIvor J. G. *et al.* 55

Wills R. B. H., Widjanarko S. B.
Changes in physiology, composition and sensory characteristics of Australian papaya during ripening. 1173

Wilson R. E.
Register of Australian winter cereal cultivars

Triticum aestivum
cv. Cascades 410
cv. Datatine 423
cv. Tammin 417

Woodroffe T. D.
See Bray R. A. *et al.* 121

Wootton T. R.
See Judson G. J. *et al.* 41

Wotton J. S. A.
See Hopkins D. L. *et al.* 33, 161

Wratten N.
See Salisbury P. A. *et al.* 665

Wuliji T., Weatherall I. L., Andrews R. N., Dodds K. G., Turner P., Wheeler R.
Effect of selection for wool growth on seasonal patterns of yield, fibre diameter, and colour in Romney lines. 27

Zorrilla-Rios J.
See Jacobs J. L. *et al.* 731

